

Calgary Transit



LRT DESIGN GUIDELINES - REV #2

March 2009



THE CITY OF
CALGARY
Proudly serving a great city

TABLE OF CONTENTS

| | |
|------------------------------|----|
| REVISION INFORMATION | i |
| INTRODUCTION | 1 |
| VEHICLE CHARACTERISTICS | 2 |
| TRACK ALIGNMENT | 3 |
| CLEARANCE REQUIREMENTS | 4 |
| TRACK SYSTEM | 5 |
| TRACTION POWER | 6 |
| LOADINGS | 7 |
| STATIONS | 8 |
| STRUCTURES | 9 |
| ELECTRICAL SYSTEM | 10 |
| SIGNALLING AND TRAIN CONTROL | 11 |
| MECHANICAL SYSTEMS | 12 |
| RIGHT-OF-WAY | 13 |
| SHOPS AND YARDS | 14 |
| COMMUNICATIONS | 15 |

City of Calgary LRT Design Guidelines

First Printed 1981

Schedule of Revisions

| Date | Revision # | Section(s) |
|--------------|-------------------|--|
| January 2001 | Revision #1 | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 15 |
| March 2009 | Revision #2 | 1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 13 |

Section 1

Introduction

| | | |
|---------|---|---|
| 1.1 | Foreword..... | 1 |
| 1.2 | LRT in Calgary | 1 |
| 1.2.1 | Overview | 1 |
| 1.2.2 | Role of LRT in Calgary..... | 1 |
| 1.2.3 | General Operational Information..... | 2 |
| 1.2.3.1 | Design Definitions..... | 2 |
| 1.2.3.2 | Other Information..... | 2 |
| 1.3 | Relevant Standards from Calgary Transit | 3 |
| 1.4 | Other Relevant Standards and Codes..... | 3 |
| 1.5 | Submittals..... | 3 |

Section 2

Vehicle Characteristics

| | | |
|-------------|--|----------|
| 2.1 | Light Rail Vehicles..... | 1 |
| 2.1.1 | Overview..... | 1 |
| 2.1.2 | Manufacturer..... | 1 |
| 2.1.3 | General Description..... | 1 |
| 2.2 | Vehicle Performance..... | 2 |
| 2.3 | Vehicle Dimensions..... | 3 |
| 2.4 | Passenger Accommodations..... | 4 |
| 2.5 | Seating and Standing Dimensions..... | 4 |
| 2.6 | Suspension..... | 4 |
| 2.7 | Propulsion..... | 5 |
| 2.7.1 | Overview..... | 5 |
| 2.7.2 | Dimension of the Bogies, Wheels and Tires..... | 5 |
| 2.8 | Motors..... | 6 |
| 2.8.1 | Specifications..... | 6 |
| 2.8.2 | Drive Type..... | 6 |
| 2.8.3 | Propulsion..... | 6 |
| 2.8.4 | Motor Control..... | 7 |
| 2.9 | Vehicle Auxiliary System Input Power..... | 8 |
| 2.10 | Braking..... | 8 |
| 2.10.1 | Overview..... | 8 |
| 2.10.2 | Dynamic Service Brake..... | 8 |
| 2.10.3 | Service Friction Brake..... | 8 |
| 2.10.4 | Track Brake..... | 8 |
| 2.11 | Electrical Systems..... | 9 |

| | | |
|-------------|---|-----------|
| 2.11.1 | Nominal Line Voltage | 9 |
| 2.11.2 | Power Collection | 9 |
| 2.12 | Coupler | 9 |
| 2.13 | Auxiliary Service Electrics | 10 |
| 2.14 | Automatic Controls (Protection)..... | 10 |
| 2.14.1 | Automatic Train Protection | 10 |
| 2.14.2 | Automatic Operations | 10 |
| 2.15 | Door Control..... | 11 |
| 2.15.1 | Overview..... | 11 |
| 2.15.2 | Door Manufacturer and Type..... | 11 |
| 2.16 | Body Specifications..... | 11 |
| 2.16.1 | Frame | 11 |
| 2.16.2 | Anti Climbers | 11 |
| 2.16.3 | Exterior Finish | 12 |
| 2.16.4 | Interior Covering and Finish..... | 12 |
| 2.16.5 | Floor | 12 |
| 2.16.6 | Doors | 12 |
| 2.16.7 | Windows..... | 12 |
| 2.16.8 | Heating | 13 |
| 2.16.9 | Noise Levels | 13 |
| 2.16.10 | Accessibility Ramp | 13 |
| 2.16.11 | Intercom and Public Address System..... | 13 |

Section 2

Exhibits

- 2.2/a Vehicle Speed and Distance vs Time - Type 1 & 2 Vehicles
- 2.2/b Tractive Effort/Braking Effort Diagram - Type 1 & 2 Vehicles
- 2.2/c Vehicle Performance vs Time - Type 3 SD-160
- 2.2/d Vehicle Performance vs Distance - Type 3 SD-160
- 2.2/e Braking Effort Diagram - Type 3 SD-160
- 2.2/f Tractive Effort and Train Distance Diagram- Type 3 SD-160
- 2.3/a Schematic of Type 1 U2-DC Vehicle Dimensions
- 2.3/b Schematic of Type 2 U2-AC Vehicle Dimensions
- 2.3/c Schematic of Type 3 SD-160 Vehicle Dimensions
- 2.7 LRV Wheel Profile

Section 3

Track Alignment

| | | |
|------------------|--|----------|
| 3.1 | Definitions..... | 1 |
| 3.2 | Speed Distance Charts | 2 |
| 3.3 | Alignment Design Standards..... | 3 |
| 3.3.1 | General..... | 3 |
| 3.3.2 | Speeds | 3 |
| 3.3.3 | Horizontal Alignment | 4 |
| 3.3.3.1 | General | 4 |
| 3.3.3.2 | The Reference Line | 5 |
| 3.3.3.3 | Separate Track Alignment | 5 |
| 3.3.3.4 | Track Centres..... | 5 |
| 3.3.3.5 | Curves | 6 |
| 3.3.3.5.1 | Horizontal Curves..... | 6 |
| 3.3.3.5.2 | Reverse Curves..... | 6 |
| 3.3.3.5.3 | Compound Curves | 6 |
| 3.3.3.6 | Track in Stations | 7 |
| 3.3.3.7 | Turnouts..... | 7 |
| 3.3.3.8 | Track in Yard and Shop | 7 |
| 3.3.4 | Vertical Alignment..... | 8 |
| 3.3.4.1 | General | 8 |
| 3.3.4.2 | Superelevation | 8 |
| 3.3.4.3 | Vertical Curves..... | 9 |
| 3.3.4.4 | Track in Stations | 9 |
| 3.3.4.5 | Track in Yard and Shop | 9 |
| 3.3.4.6 | Turnouts..... | 9 |

Section 3

Exhibits

- 3.2/a Speed-Distance Curves, Normal Acceleration
- 3.2/b Speed-Distance Curves, Normal Deceleration - All Vehicle Types
- 3.2/c Typical Speed-Distance Chart
- 3.2.1/c Maximum Permissible Speed on Curves
- 3.3.2/a Summary of Maximum Permissible Speeds
- 3.3.2/b Maximum Operating Speeds Through Turnouts
- 3.3.3/a Minimum Track Centres
- 3.3.3/b Application of Minimum Track Centre Requirements
- 3.3.3/c Summary of Horizontal Alignment Standards
- 3.3.4/a Summary of Vertical Alignment Standards
- 3.3.4/b Minimum Lengths of Vertical Curve

Section 4

Clearance Requirements

| | | |
|-------|--|---|
| 4.1 | General..... | 1 |
| 4.2 | Design Vehicle Static and Dynamic Profiles | 1 |
| 4.2.1 | Design Vehicle Definition | 1 |
| 4.2.2 | Static and Dynamic Profiles..... | 1 |
| 4.3 | Minimum Clearances from Tangent Track..... | 2 |
| 4.3.1 | Box Structures | 2 |
| 4.3.2 | Bored Tunnels | 2 |
| 4.3.3 | Stations..... | 2 |
| 4.3.4 | Overpass Structures | 2 |
| 4.3.5 | Retaining Walls..... | 2 |
| 4.4 | Minimum Clearances from Curved Track | 3 |
| 4.4.1 | Overview | 3 |
| 4.4.2 | Clearance Dimensions from Track on Spiral Curves | 3 |
| 4.5 | Clearances to Traction Power Equipment | 3 |
| 4.6 | Temporary Clearances..... | 3 |
| 4.7 | Clearances in a Shared Right-of-way..... | 4 |

Section 4

Exhibits

- 4.2.2 Design Vehicle Static and Dynamic Profiles
- 4.3.1 Tangent Track Minimum Clearances - Box Tunnel Section
- 4.3.2 Tangent Track Minimum Clearances - Bored Tunnels
- 4.3.3/a Tangent Track Minimum Clearances - Stations at Grade
- 4.3.3/b Tangent Track Minimum Clearances - Stations in Box Structures
- 4.3.4 Tangent Track Minimum Clearances - Overpass Structures
- 4.3.5 Tangent Track Minimum Clearances - Retaining Walls
- 4.4/a Curved Track Clearance Requirements
- 4.4/b Curved Track Clearance Dimension Charts
- 4.4/c Curved Track Clearance Requirements - Transition from Tangent
- 4.4/d Curved Track Clearance Requirements - Bored Tunnels
- 4.4.1 Spiral Curve Clearance Requirements
- 4.5 Traction Power Overhead Line System (OLS) Clearance Requirements from “Readily Accessible Surfaces”
- 4.6 Tangent Track Clearance - Temporary Works

Section 5

Track System

| | | |
|------------|--|----------|
| 5.1 | General..... | 1 |
| 5.1.1 | Track Systems | 1 |
| 5.1.2 | Acceptance of Trackwork Components..... | 1 |
| 5.1.3 | Electrical Isolation..... | 2 |
| 5.1.4 | Vibration Dampening | 2 |
| 5.1.5 | Track Gauge..... | 3 |
| 5.2 | Track Structure Configurations..... | 3 |
| 5.2.1 | Main Line Track - Open Track Area | 3 |
| 5.2.1.1 | Tee Rail on Concrete Ties..... | 3 |
| 5.2.1.2 | Rail on Wood Ties..... | 3 |
| 5.2.1.3 | Rail on Concrete Slab | 4 |
| 5.2.2 | Main Line In-Street Track | 4 |
| 5.2.3 | Yard and Shop Tracks | 4 |
| 5.2.3.1 | Girder Rail in Concrete Slab Track..... | 4 |
| 5.2.3.2 | Vehicle Wash Area Track..... | 4 |
| 5.2.3.3 | Track over Shop Pits..... | 4 |
| 5.2.3.4 | Yard Tracks | 5 |
| 5.2.4 | Road Crossings..... | 5 |
| 5.2.4.1 | General Requirements..... | 5 |
| 5.3 | Track Design Criteria | 7 |
| 5.3.1 | General..... | 7 |
| 5.3.2 | Vertical Loading..... | 7 |
| 5.3.3 | Longitudinal Loading..... | 8 |
| 5.3.3.1 | Thermal Effects | 8 |
| 5.3.3.2 | Traction and Braking Effects..... | 8 |
| 5.3.4 | Lateral Loading..... | 8 |
| 5.4 | Track Components | 9 |
| 5.4.1 | Rail..... | 9 |
| 5.4.1.1 | Tee Rail and Girder Rail..... | 9 |

| | | |
|--------------|---|-----------|
| 5.4.1.2 | Continuous Welded Rail (CWR)..... | 10 |
| 5.4.2 | Ties..... | 10 |
| 5.4.2.1 | General..... | 10 |
| 5.4.2.2 | Concrete Cross Ties..... | 10 |
| 5.4.2.3 | Concrete Jordan Rail Cross Ties..... | 10 |
| 5.4.2.4 | Concrete Switch Ties | 10 |
| 5.4.2.5 | Wood Ties | 11 |
| 5.4.3 | Fastening Systems - Main Line Track..... | 11 |
| 5.4.3.1 | Concrete Cross Tie..... | 11 |
| 5.4.3.2 | Wood Tie..... | 11 |
| 5.4.3.3 | Concrete Base Slabs..... | 11 |
| 5.4.4 | Fastening Systems - Other Tracks | 12 |
| 5.4.4.1 | Wood Ties with 100 lb. ARA-A Rail and Ri60 Girder Rail..... | 12 |
| 5.4.4.2 | Yard and Shop Base Slabs..... | 12 |
| 5.4.4.3 | Shop Pits..... | 12 |
| 5.4.5 | Turnouts and Special Trackwork..... | 13 |
| 5.4.5.1 | Use of Turnout Types..... | 13 |
| 5.4.5.2 | Flangeways and Settings | 13 |
| 5.4.5.3 | Number 8 Open Track Turnouts | 13 |
| 5.4.5.4 | Number 6 - Ri60 In-street Turnouts | 13 |
| 5.4.5.5 | Yard Turnouts..... | 13 |
| 5.4.5.6 | Shop Turnouts..... | 14 |
| 5.4.5.7 | Switch Stands, Switch Machines, and Other Turnout Appliances..... | 14 |
| 5.4.5.8 | Expansion Joints (Sliding Rails)..... | 14 |
| 5.5 | Other Track Appliances..... | 15 |
| 5.5.1 | Gauge Rods and Gauge Bars..... | 15 |
| 5.5.2 | Jordan Guardrails | 15 |
| 5.5.3 | Restraining Rails..... | 15 |
| 5.5.4 | Rail Joints | 16 |
| 5.5.5 | Switch Heaters | 16 |
| 5.6 | Ballast..... | 17 |
| 5.6.1 | Overview..... | 17 |
| 5.6.2 | Specification | 18 |
| 5.6.3 | Handling | 18 |
| 5.7 | Track Slabs/ Direct Fixation..... | 19 |

Section 5

Exhibits

| | |
|---------|---|
| 5.1.5/a | Normal Drainage Conditions |
| 5.1.5/b | Short Duration Rainfall Intensity |
| 5.1.5/d | Drainage Between Structures |
| 5.1.5/e | Drainage In-Street |
| 5.2.1/a | Use of Track Structure Configurations |
| 5.2.1/b | Tee Rail on Concrete Cross Ties |
| 5.2.1/c | Special Treatment in Sharp Curves |
| 5.2.1/d | Tee Rail on Concrete Slab |
| 5.2.2/a | Mainline in-Street Track Details |
| 5.2.2/b | In-Street Track |
| 5.2.3/a | Yard and Shop Tracks |
| 5.2.4 | Typical Road Crossing Configuration |
| 5.4.1/a | 100lb. ARA-A Tee Rail Section |
| 5.4.1/b | S41a/10 Tee Rail Section |
| 5.4.1/c | Ri 60 Girder Rail Section |
| 5.4.1/d | Ri 60 Flangeway Widening at Compromise Weld Locations |
| 5.4.1/e | 100 lb RE Tee Rail Section |
| 5.4.2/a | Typical Concrete Cross Tie |
| 5.4.3/a | Concrete Cross Tie Fastener Details |
| 5.4.4/a | Tie Plates for Rail on Wood Ties in Yards |
| 5.4.5/a | Use of Turnout Types |
| 5.5.3 | Jordan Guardrails |

Section 6

Traction Power

| | | |
|------------|---|-----------|
| 6.1 | Overview of LRT Traction Power System..... | 5 |
| 6.1.1 | Introduction..... | 5 |
| 6.1.2 | Design Criteria..... | 5 |
| 6.1.3 | Codes and Standards..... | 5 |
| 6.2 | LRT Traction Power Supply System..... | 6 |
| 6.2.1 | Introduction..... | 6 |
| 6.2.2 | LRT Substation General Design..... | 6 |
| 6.2.2.1 | Substation Location..... | 6 |
| 6.2.2.2 | Basic Substation Layouts..... | 7 |
| 6.2.2.3 | Equipment Door Size..... | 7 |
| 6.2.2.4 | Cable Raceways..... | 7 |
| 6.2.3 | LRT Substation Equipment Layout..... | 8 |
| 6.2.3.1 | Transformer Yard..... | 8 |
| 6.2.3.2 | Interior..... | 8 |
| 6.2.4 | LRT Substation Services..... | 9 |
| 6.2.4.1 | Power Supply..... | 9 |
| 6.2.4.2 | Climate Control..... | 9 |
| 6.2.5 | LRT Substation Security & Safety..... | 10 |
| 6.2.5.1 | Doors..... | 10 |
| 6.2.5.2 | Alarms Monitoring..... | 10 |
| 6.2.5.3 | Emergency Provisions..... | 10 |
| 6.3 | LRT Substation Equipment..... | 11 |
| 6.3.1 | Overview..... | 11 |
| 6.3.2 | 13.2 kV and 25 kv AC Switchgears..... | 12 |
| 6.3.3 | Transformer / Rectifier Units..... | 13 |
| 6.3.4 | DC Switchgear..... | 14 |
| 6.3.5 | Line and Bypass Disconnect Switches..... | 14 |
| 6.3.6 | Battery Chargers and Battery Banks..... | 15 |

| | | |
|------------|---|-----------|
| 6.4 | LRT Substation Protection Systems | 15 |
| 6.4.1 | Introduction | 15 |
| 6.4.2 | Design Criteria..... | 16 |
| 6.4.3 | Current Protection Requirements..... | 16 |
| 6.4.3.1 | Fault or Short Circuit Relaying Protection - AC & DC..... | 16 |
| 6.4.3.2 | Instantaneous Overcurrent Protection (DC)..... | 17 |
| 6.4.3.3 | Rate-of-Rise of Current Protection | 17 |
| 6.4.4 | Overload Protection..... | 17 |
| 6.4.5 | Rail Overvoltage..... | 17 |
| 6.4.6 | Circuit Reclosing..... | 17 |
| 6.4.7 | Transferred Trip | 18 |
| 6.4.8 | Reverse Current Relay | 18 |
| 6.4.9 | Lockout Relays..... | 18 |
| 6.5 | Overhead Line System (OCS) | 19 |
| 6.5.1 | Overview..... | 19 |
| 6.5.2 | Design Requirements and Considerations | 20 |
| 6.5.2.1 | Overview | 20 |
| 6.5.2.2 | Vehicle Design Parameters | 20 |
| 6.5.2.3 | Operating Speed..... | 20 |
| 6.5.2.4 | Configuration at Signalized Interlockings | 21 |
| 6.5.2.5 | Vertical Alignment of Track..... | 21 |
| 6.5.2.6 | Horizontal Alignment of Track | 21 |
| 6.5.2.7 | Pole Support Spacing | 21 |
| 6.5.2.8 | Design Loads..... | 21 |
| 6.5.2.9 | Level of Insulation | 21 |
| 6.5.3 | Equipment Specifications | 22 |
| 6.5.3.1 | Pole Foundations | 22 |
| 6.5.3.2 | Reinforcing for Pole Foundations..... | 22 |
| 6.5.3.3 | Concrete for Pole Foundations..... | 23 |
| 6.5.3.4 | Anchor Bolts for Poles on Pole Foundations..... | 23 |
| 6.5.3.5 | LRT Poles..... | 23 |
| 6.5.3.6 | Catenary Support Arms and Ancillary Equipment..... | 24 |
| 6.5.3.7 | Messenger Wire | 24 |
| 6.5.3.8 | Contact Wire | 24 |
| 6.5.4 | Simple Catenary | 25 |
| 6.5.5 | Poles | 26 |

| | | |
|-------|--|----|
| 6.5.6 | Foundations (Pole and Anchor) | 27 |
| 6.5.7 | Passenger Stations/Tunnels/Overpasses..... | 27 |
| 6.6 | The Underground Ductbank System..... | 28 |
| 6.7 | Grounding and Bonding | 28 |
| 6.7.1 | General..... | 28 |
| 6.7.2 | Track Bonding | 28 |
| 6.7.3 | Substation Grounding | 29 |
| 6.7.4 | Lightning Protection | 29 |

Section 6

Exhibits

- 6.1.2/a Typical Narrow LRT Substation
- 6.1.2/b Typical Wide LRT Substation
- 6.3.3 Typical Relay Co-ordination Curves
- 6.4.1/a Simplified LRT Traction Power Circuit
- 6.4.1/b Simple Catenary
- 6.4.2 Catenary Design Loads
- 6.5.1 Grade Design for Contact Wire
- 6.6.9/a Typical Mainline Ductbank
- 6.6.9/b Precast Pullbox
- 6.7.1 Box Girder Bridge Duct Support Hanger
- 6.7.2 Kensington Bridge, NW LRT, Duct Section
- 6.7.4 Typical Lightning Arrestor Configuration

Section 7

Loadings

| | | |
|------------|---|-----------|
| 7.1 | General..... | 1 |
| 7.2 | Underground Structures..... | 1 |
| 7.2.1 | Structures Constructed Using Cut-and-Cover Methods..... | 1 |
| 7.3 | Bridges Carrying LRT Tracks | 1 |
| 7.3.1 | Reference Code | 1 |
| 7.3.2 | Serviceability LIMIT States..... | 2 |
| 7.3.2.1 | General | 2 |
| 7.3.2.2 | Crack Control in Concrete Structures..... | 2 |
| 7.3.2.3 | Stress Limits | 2 |
| 7.3.2.4 | Deformation Control | 2 |
| 7.3.2.5 | Vibration Control..... | 2 |
| 7.3.3 | FATIGUE LIMIT STATE | 2 |
| 7.3.4 | Design Loadings..... | 3 |
| 7.3.4.1 | General | 3 |
| 7.3.4.2 | Dead Load | 3 |
| 7.3.4.3 | LRT Design Vehicle Vertical Loading (L) | 4 |
| 7.3.4.4 | Dynamic Load Allowance (I)..... | 5 |
| 7.3.4.5 | Rolling or Lurching Load (LC)..... | 5 |
| 7.3.4.6 | Centrifugal Forces (CFN, CFE)..... | 6 |
| 7.3.4.7 | Steering and Hunting Force (HF)..... | 6 |
| 7.3.4.8 | Longitudinal Loads (LN, LE)..... | 6 |
| 7.3.4.9 | LRT Vehicle Mishap Loads (COLF) | 7 |
| 7.3.4.10 | Rail Structure Interaction Forces | 8 |
| 7.3.4.11 | Broken Rail Forces (BR) | 9 |
| 7.3.4.12 | Snow and Ice Loads (SIV)..... | 9 |
| 7.3.4.13 | Collision with Structures Load (H)..... | 9 |
| 7.3.4.14 | Wind Loads (W,V)..... | 9 |
| 7.3.4.15 | Earthquake Load (EQ)..... | 10 |
| 7.3.5 | Load Combination | 10 |
| 7.3.5.1 | Bridge Carrying LRT Tracks Only | 10 |
| 7.3.5.2 | Bridges Carrying LRT Tracks and Highway Loading | 10 |
| 7.4 | Highway/Pedestrian Bridges Crossing Over LRT Tracks..... | 11 |

7.4.1 Code Reference..... 11

7.5 Track Slabs..... 11

7.6 Retaining Walls 11

7.6.1 Retaining Wall Adjacent to LRT Tracks 11

7.6.2 Retaining Walls Supporting LRT Tracks 11

Section 7

Exhibits

- 7.3.3/a LRT 'U2' Vehicle Loading
- 7.3.3/b LRT 'SD-160' Vehicle Loading
- 7.3.3/c Rail Grinder Loads and Dimensions
- 7.3.3/d Ballast Car Loads and Dimensions
- 7.3.3/e Design Vehicle Loading
- 7.3.4.1/a Load Factors and Load Combinations for LRT Bridges Only
- 7.3.4.1/b Permanent Loads: Maximum and Minimum Values of Loads for ULS in Exhibit 7.3.4.1/a
- 7.3.4.2 Load Factors and Load Combinations for LRT Track plus Highway Loading

Section 8

Stations

| | | |
|------------|--|----------|
| 8.1 | Background | 1 |
| 8.1.1 | Role of Stations..... | 1 |
| 8.1.2 | Station Concepts: Centre Load Platform..... | 2 |
| 8.1.3 | Side Load Platforms, 7 th Avenue Stations..... | 2 |
| 8.1.4 | Design Criteria..... | 3 |
| 8.2 | Area and Layout Requirements..... | 3 |
| 8.2.1 | Introduction | 3 |
| 8.2.2 | Platform | 3 |
| 8.2.3 | Circulation Links | 4 |
| 8.2.4 | Processing Area..... | 5 |
| 8.2.5 | Pedestrian Overpasses | 5 |
| 8.2.6 | Entry and Exit Volumes..... | 6 |
| 8.2.6.1 | Capacity..... | 6 |
| 8.2.6.2 | Entry Volumes..... | 6 |
| 8.2.6.3 | Exit Volumes | 6 |
| 8.2.6.4 | Fire Safety | 6 |
| 8.3 | Code Requirements..... | 7 |
| 8.3.1 | Building Classification | 7 |
| 8.3.2 | Exiting..... | 7 |
| 8.3.3 | Code Relaxations | 7 |
| 8.4 | Mechanical/Electrical Service Area Requirements | 8 |
| 8.4.1 | Electrical Service Rooms..... | 8 |
| 8.4.2 | Mechanical Service Rooms | 8 |
| 8.4.3 | Horizontal & Vertical Service Access..... | 9 |
| 8.4.4 | Storage Spaces | 9 |
| 8.4.5 | Janitorial Facilities..... | 10 |

| | | |
|-------------|---|-----------|
| 8.4.6 | Washrooms | 10 |
| 8.5 | Passenger Safety and Security | 10 |
| 8.5.1 | Introduction | 10 |
| 8.5.2 | Help Phones | 10 |
| 8.5.3 | Public Telephones | 10 |
| 8.5.4 | Video Surveillance..... | 11 |
| 8.5.5 | Power-Activated Door Locking System..... | 11 |
| 8.5.6 | Station Entrance | 11 |
| 8.5.7 | Conventional Keying..... | 12 |
| 8.5.8 | Grounding..... | 12 |
| 8.5.9 | Emergency Gates | 12 |
| 8.5.10 | Platform..... | 12 |
| 8.6 | Station Signage..... | 12 |
| 8.7 | Information Modules..... | 13 |
| 8.8 | Advertising | 13 |
| 8.9 | Furniture | 13 |
| 8.9.1 | Station Seating..... | 13 |
| 8.9.2 | Waste Receptacles | 14 |
| 8.9.3 | Shelters | 14 |
| 8.10 | Stairs, Escalators, Handrails, Elevators | 15 |
| 8.10.1 | Stairs | 15 |
| 8.10.2 | Escalators | 15 |
| 8.10.3 | Handrails..... | 15 |
| 8.10.4 | Elevators | 16 |
| 8.11 | Materials | 16 |
| 8.11.1 | Interior Materials..... | 16 |
| 8.11.2 | Exterior Materials..... | 17 |
| 8.11.3 | Lighting | 17 |
| 8.11.4 | Doors | 18 |

| | | |
|-------------|---|-----------|
| 8.11.5 | Footgrilles | 18 |
| 8.12 | Parking Areas | 18 |
| 8.12.1 | Pedestrian Access | 18 |
| 8.12.2 | Service Vehicle Access..... | 19 |
| 8.12.3 | Geometric Standards..... | 19 |
| 8.12.4 | Lighting | 20 |
| 8.12.5 | Plug-ins | 20 |
| 8.12.6 | Bicycle Racks and Lockers | 20 |
| 8.13 | Station Site Configuration | 21 |
| 8.13.1 | Bus Access | 21 |
| 8.13.2 | Kiss-and-Ride | 21 |
| 8.13.3 | Park-and-Ride..... | 21 |
| 8.13.4 | Asphalt Sections | 22 |
| 8.13.5 | Sidewalk Sections..... | 22 |
| 8.13.6 | Landscape Sections | 22 |
| 8.13.7 | Bus Areas..... | 22 |
| 8.13.8 | Fencing..... | 22 |
| 8.14 | Transit Standards..... | 23 |

Section 8

Exhibits

- 8.1.2 Centre Platform Concept
- 8.1.3 7th Avenue Platform Concept
- 8.4.3/a Service Requirements
- 8.4.3/b Traction Power Details
- 8.5.2 Help Information Panel
- 8.7/a Double Sided Modular Information Panels
- 8.7/b Single Sided Modular Information Panels
- 8.9.3 Platform Shelter
- 8.10.2 Escalator Details
- 8.12.3/a Standard Design for a Transit Bus (50km/h Road Way)
- 8.12.3/b Standard Bus Vehicle Dimensions
- 8.12.3/c Bus Turning Template
- 8.12.3/d Sample Station Bus Terminals
- 8.12.4 Lighting Pole Foundations
- 8.12.5 Parking Lot Pedestal

Section 9

Structures

| | | |
|------------|---|----------|
| 9.1 | General..... | 1 |
| 9.1.1 | Overview..... | 1 |
| 9.1.2 | Types of Structure..... | 1 |
| 9.2 | Design codes..... | 2 |
| 9.3 | Foundations..... | 3 |
| 9.3.1 | Soils Investigation..... | 3 |
| 9.3.2 | Temporary Support Systems..... | 3 |
| 9.3.3 | Existing Utilities..... | 3 |
| 9.3.4 | Piled Foundations..... | 4 |
| 9.3.4.1 | Use of Piling Equipment Adjacent to Tracks..... | 4 |
| 9.3.4.2 | Geotechnical Investigation..... | 4 |
| 9.4 | Materials..... | 4 |
| 9.4.1 | Reinforced Concrete..... | 4 |
| 9.4.1.1 | Reinforcing Steel..... | 5 |
| 9.4.1.2 | Minimum Section Thicknesses..... | 5 |
| 9.4.2 | Structural Steel..... | 5 |
| 9.4.3 | Masonry..... | 5 |
| 9.4.4 | Timber..... | 5 |
| 9.4.5 | Other Materials..... | 5 |
| 9.5 | Design Considerations for Direct Fixation Track..... | 6 |
| 9.5.1 | Direct Fixation Track..... | 6 |
| 9.5.2 | Transition Areas..... | 6 |
| 9.6 | Traction Power Requirements..... | 6 |
| 9.7 | Detail Standards..... | 7 |

Section 9

Exhibits

- 9.7.1/a Underground Structures – Double Box Section**
- 9.7.1/b Underground Structures – Single Box Section**
- 9.7.1/c Underground Structures – Box Section Wall Details**
- 9.7.1/d Underground Structures – Box Section Invert Details**
- 9.7.2 Pedestrian Overpass Structures – Typical Details**
- 9.7.3 Retaining Walls – Typical Details**
- 9.7.4 Bridges Carrying LRT Tracks – Typical Details**
- 9.7.5 LRT Track Slabs – Typical Details**
- 9.7.6/a Direct Fixation – Plinth Layout**
- 9.7.6/b Direct Fixation – Plinth Reinforcement**

Section 10

Electrical Systems

| | | |
|--------|---------------------------------|---|
| 10.1 | Electrical Systems General..... | 1 |
| 10.2 | Standards..... | 1 |
| 10.3 | Procedures..... | 1 |
| 10.4 | Materials..... | 2 |
| 10.5 | Grounding..... | 3 |
| 10.6 | Revenue Metering..... | 3 |
| 10.7 | Building Lighting..... | 3 |
| 10.8 | Tunnel Lighting | 4 |
| 10.8.1 | General..... | 4 |
| 10.8.2 | Design | 4 |
| 10.8.3 | Equipment | 4 |
| 10.8.4 | Control | 5 |
| 10.8.5 | Maintenance | 5 |
| 10.9 | Parking Lot Lighting..... | 5 |
| 10.10 | Under Platform Conduits | 5 |
| 10.11 | Energy Conservation | 5 |
| 10.12 | BMS Systems..... | 6 |
| 10.13 | Pedestrian Lighting | 6 |
| 10.14 | Track Lighting..... | 6 |

Section 11

Signalling and Train Control

| | | |
|-------------|--|----------|
| 11.1 | General..... | 1 |
| 11.1.1 | Introduction..... | 1 |
| 11.1.2 | Design Criteria..... | 1 |
| 11.1.3 | Codes and Standards..... | 1 |
| 11.1.4 | Definitions..... | 2 |
| 11.1.5 | Acronyms..... | 3 |
| 11.2 | Automatic Block Signal System..... | 5 |
| 11.2.1 | Overview..... | 5 |
| 11.2.1.1 | Introduction..... | 5 |
| 11.2.1.2 | Signalized Interlockings..... | 5 |
| 11.2.1.3 | Mode of Operation..... | 6 |
| 11.2.1.4 | Train Stops..... | 7 |
| 11.2.1.5 | System Failure..... | 7 |
| 11.2.2 | Operating Requirements..... | 7 |
| 11.2.2.1 | General..... | 7 |
| 11.2.2.2 | Controlled Signals..... | 8 |
| 11.2.2.3 | Positioning of ABS and Interlocking Signals..... | 8 |
| 11.2.2.4 | Signal Layout and Crossings..... | 9 |
| 11.2.2.5 | Signal Height and Visibility..... | 9 |
| 11.2.2.6 | Signal Spacing..... | 10 |
| 11.2.2.7 | Signal Overlap..... | 10 |
| 11.2.2.8 | Signal Lockout..... | 10 |
| 11.2.3 | Other Requirements..... | 11 |
| 11.2.3.1 | General..... | 11 |
| 11.2.3.2 | Time Locking..... | 11 |
| 11.2.3.3 | Loss of Shunt..... | 11 |
| 11.2.4 | Equipment..... | 11 |
| 11.2.4.1 | ABS Signals..... | 11 |
| 11.2.4.2 | Track Circuits..... | 12 |
| | Application Design..... | 12 |
| | Power Supply..... | 12 |
| | Bypass Couplers..... | 13 |

| | |
|---|-----------|
| Frequency Assignment | 13 |
| 11.2.4.3 Track Magnets | 13 |
| 11.2.4.4 Switch Machines..... | 14 |
| 11.2.4.5 Micro Processor Based Logic Controller | 14 |
| 11.2.4.5.1 General..... | 14 |
| 11.2.4.5.2 Software..... | 15 |
| 11.2.4.5.3 Hardware..... | 15 |
| 11.2.4.6 Impedance Bonds..... | 16 |
| 11.2.4.7 Traction Power Cross-Bonding | 16 |
| 11.2.4.8 Coordination with Traction Power Designer | 17 |
| 11.3 Vehicle Identification System (VIS)..... | 18 |
| 11.3.1 Overview..... | 18 |
| 11.3.1.1 Introduction | 18 |
| 11.3.2 Operating Requirements..... | 18 |
| 11.3.2.1 Automatic Routing at Interlocking..... | 18 |
| 11.3.2.2 Automatic Advance Request | 20 |
| 11.3.2.3 Crossing Protection Control | 20 |
| 11.3.2.4 Yard Track Selection | 20 |
| 11.3.3 Equipment | 21 |
| 11.3.3.1 General..... | 21 |
| 11.3.3.2 Carborne (Code Control Boxes and Transponders) | 22 |
| 11.3.3.3 Interrogators..... | 23 |
| 11.3.3.4 Wayside Pushbuttons | 24 |
| 11.3.3.5 Passenger Information System..... | 24 |
| 11.4 Automatic Crossing Protection (ACP) System | 25 |
| 11.4.1 Overview..... | 25 |
| 11.4.1.1 Introduction | 25 |
| 11.4.1.2 Protection Systems | 25 |
| 11.4.1.3 Approach Warning..... | 25 |
| 11.4.1.4 Bi-Directional..... | 25 |
| 11.4.1.5 Crossing Overlap..... | 26 |
| 11.4.1.6 Traffic Interface..... | 26 |
| 11.4.1.7 Delayed Call-on..... | 26 |
| 11.4.1.8 VIS Control..... | 27 |
| 11.4.1.9 Shared Right-of-way Crossings..... | 27 |
| 11.4.1.10 Train Detection | 27 |
| 11.4.1.11 Crossing Indicator Signals | 28 |
| 11.5 Train Tracking and Supervisory Control System | 29 |
| 11.5.1 Overview..... | 29 |
| 11.5.1.1 Introduction | 29 |

| | | |
|---------------|---|-----------|
| 11.5.1.2 | Operations Control Center | 29 |
| 11.5.2 | Functional Requirement | 30 |
| 11.5.2.1 | General | 30 |
| 11.5.2.2 | Track Overview | 30 |
| 11.5.2.3 | Signals Interface | 31 |
| 11.6 | Other Systems and Equipment..... | 32 |
| 11.6.1 | Signal Cases | 32 |
| 11.6.2 | Signal Rooms..... | 33 |
| 11.6.3 | Power Supply System..... | 34 |
| 11.6.3.1 | General | 34 |
| 11.6.3.2 | At-Grade Crossings | 34 |
| 11.6.4 | Duct System..... | 34 |
| 11.6.4.1 | Overview..... | 34 |
| 11.6.4.2 | Cable Categories..... | 35 |
| 11.6.4.3 | Locations and Routing | 35 |
| 11.6.4.4 | Branch Cables..... | 35 |
| 11.6.4.5 | Other Ducts | 36 |
| 11.6.4.6 | Coordination and Naming..... | 36 |
| 11.6.5 | Other Fixed Signals..... | 36 |
| 11.6.5.1 | General | 36 |
| 11.6.5.2 | High Water Detection..... | 36 |
| 11.7 | Signal System Plans | 37 |
| 11.7.1 | Overview..... | 37 |
| 11.7.2 | Format..... | 37 |
| 11.7.3 | Plans | 37 |
| 11.7.3.1 | Single Line Signal Layout..... | 37 |
| 11.7.3.2 | Double Line Signal Layout | 38 |
| 11.7.3.3 | Signal Aspect Charts | 38 |
| 11.7.3.4 | VIS Routing Codes..... | 38 |
| 11.7.3.5 | Location Circuit Plans | 38 |
| 11.7.3.6 | Wayside Signal Location Plan..... | 38 |
| 11.7.3.7 | Miscellaneous Plans | 38 |
| 11.8 | Symbols and Nomenclature | 40 |
| 11.8.1 | General..... | 40 |
| 11.8.2 | Track Circuit Nomenclature | 40 |
| 11.8.3 | Crossing Track Circuits..... | 41 |

11.8.4 Crossing Track Circuits 42

Section 11

Exhibits

- 11.1 System Block Diagram
- 11.1.2 Signal Aspect Diagram
- 11.1.3 Positioning of Track Magnets for Bi-Directional ABS Signals
- 11.2.2.3 Station Room to Wayside Track Circuit Arrangement
- 11.2.2.4 Impedance Bond Arrangement
- 11.2.2.5/a Sample Single Line Drawing
- 11.2.2.5/b Sample Double Line Track Layout
- 11.2.2.5/c Sample Signal Aspect Chart - Inbound
- 11.2.2.5/d Sample Signal Aspect Chart - Outbound
- 11.2.2.5/e Typical VIS Routing Codes
- 11.2.8.5/a AC Power Distribution, Typical Single Line Diagram at Station
- 11.2.8.5/b Typical Station Panel Circuits
- 11.3.4 Positioning of Wayside Pushbuttons
- 11.3.5/a Typical Crossing Layout
- 11.3.5/b Typical Crossing Directional Logic
- 11.3.5/c Typical Crossing Control Logic

Section 12

Mechanical Systems

| | | |
|-------------|---------------------------------------|----------|
| 12.1 | General | 1 |
| 12.2 | Stormwater Lift Stations | 1 |
| 12.2.1 | Dimensional Requirements..... | 1 |
| 12.2.2 | Pumps | 2 |
| 12.2.3 | Piping | 2 |
| 12.2.4 | Emergency Power Supply | 3 |
| 12.2.5 | Ventilation System | 3 |
| 12.2.6 | Control Systems | 4 |
| 12.2.7 | Maintenance Requirements | 5 |
| 12.3 | Fire Protection | 5 |
| 12.3.1 | Approval of Systems | 5 |
| 12.3.2 | Code Requirements | 5 |
| 12.3.3 | System Types | 5 |
| 12.3.4 | Piping | 6 |
| 12.3.5 | Hydrants | 6 |
| 12.3.6 | Hose Cabinets..... | 7 |
| 12.3.7 | Emergency Systems | 8 |
| 12.3.8 | Sprinkler Systems | 8 |
| 12.4 | Ventilation | 9 |
| 12.4.1 | Vent Shafts | 9 |
| 12.4.1.1 | General | 9 |
| 12.4.1.2 | Location..... | 9 |
| 12.4.1.3 | Access | 9 |
| 12.4.2 | Mechanical Equipment | 10 |

Section 12

Exhibits

- 12.2 **Typical Lift Station (cutaway view)**
- 12.3.4 **Typical Detail of Piping Attachment in Structures**
- 12.3.5 **Typical Siamese Hydrant Details**
- 12.3.6 **Typical Hose Cabinet Details**

Section 13

Right-of-way

| | | |
|-------------|---|----------|
| 13.1 | Land Requirements | 1 |
| 13.1.1 | Land Accommodation | 1 |
| 13.1.2 | Minimum Right of Way Width | 1 |
| 13.1.3 | Minimum Right of Way Width at Stations | 1 |
| 13.1.3.1 | Spacing..... | 1 |
| 13.1.3.2 | Centre Loading Stations..... | 1 |
| 13.1.3.3 | Side Loading Stations..... | 1 |
| 13.1.4 | Minimum Right of Way Width at Storage/Setoff Tracks | 2 |
| 13.1.5 | Minimum Right of Way Width for Interlockings | 2 |
| 13.1.6 | Minimum Right of Way Width for Bridges and Tunnels | 2 |
| 13.1.7 | Substations | 2 |
| 13.2 | Right of Way Facilities and Systems..... | 3 |
| 13.2.1 | Introduction..... | 3 |
| 13.2.2 | Subgrade | 3 |
| 13.2.3 | Subballast..... | 3 |
| 13.2.3.1 | Specification | 3 |
| 13.2.3.2 | Handling | 3 |
| 13.2.4 | Drainage | 4 |
| 13.2.4.1 | Normal Conditions..... | 4 |
| 13.2.4.2 | Retaining Walls | 4 |
| 13.2.4.3 | Integral Structure | 5 |
| 13.2.4.4 | In Street | 5 |
| 13.2.4.5 | Yards and Stations..... | 5 |
| 13.2.5 | LRT Underground Ductbank..... | 6 |
| 13.2.5.1 | Overview..... | 6 |
| 13.2.5.2 | Ductbank Construction..... | 6 |
| 13.2.5.3 | Depth | 6 |
| 13.2.5.4 | Clearance from Track..... | 7 |
| 13.2.5.5 | Pullbox Spacing..... | 8 |
| 13.2.5.6 | Drainage | 8 |

| | | |
|-------------|--|-----------|
| 13.2.5.7 | Branch Ducts | 8 |
| 13.2.5.8 | Construction | 8 |
| 13.2.5.9 | Components | 8 |
| 13.2.5.9.1 | <i>Ductbank</i> | 8 |
| 13.2.5.9.2 | <i>Pullboxes</i> | 9 |
| 13.2.5.9.3 | <i>Manholes</i> | 9 |
| 13.2.5.9.4 | <i>Shear Protection</i> | 9 |
| 13.2.5.10 | Cable Pulling | 10 |
| 13.2.5.11 | Identification: Ducts | 10 |
| 13.2.5.12 | Identification: Pullboxes and Manholes | 10 |
| 13.3 | Right-of-way Protection..... | 11 |
| 13.3.1 | Fencing | 11 |
| 13.3.2 | Signage..... | 11 |
| 13.4 | At-Grade Pedestrian Crossings | 12 |
| 13.5 | Noise..... | 13 |
| 13.5.1 | Noise Descriptors | 13 |
| 13.5.2 | City’s Design Noise Level Guidelines | 13 |
| 13.5.3 | Noise Sources | 14 |
| 13.5.4 | Noise Abatement Techniques | 14 |

Section 13

Exhibits

- 13.1.1 Minimum LRT Row Width**
- 13.1.2 Minimum LRT Row Width – Centre Loading Platform Areas**
- 13.1.3 Minimum LRT Row Width – Side Loading Platform Areas**
- 13.1.4 Minimum LRT Row Width – Third Track Areas**
- 13.1.5/f Configuration of Subdrain System Cleanouts**

Section 14

Shops and Yards

| | | |
|-------------|--|----------|
| 14.1 | General..... | 1 |
| 14.2 | Doors..... | 1 |
| 14.2.1 | Dimensions of Doors | 1 |
| 14.2.2 | Door Operators | 1 |
| 14.2.3 | Door Signals | 1 |
| 14.2.4 | Door Controls | 2 |
| 14.3 | Pits..... | 3 |
| 14.3.1 | Pit Specifications | 3 |
| 14.3.2 | Pit Drainage..... | 3 |
| 14.3.3 | Pit Ventilation..... | 3 |
| 14.3.4 | Pit Services | 4 |
| 14.3.5 | Pit Access..... | 4 |
| 14.4 | Truck Assembly Stand and Overhead Crane | 5 |
| 14.4.1 | Floor Work Area..... | 5 |
| 14.5 | Wash System | 6 |
| 14.5.1 | Requirements..... | 6 |
| 14.5.2 | Controls | 6 |
| 14.6 | Sanding Equipment..... | 6 |
| 14.6.1 | Requirements..... | 6 |
| 14.6.2 | Sanding Equipment Controls | 7 |
| 14.7 | Pantograph Platform | 7 |
| 14.8 | Wheel Truing Machine | 7 |
| 14.8.1 | Wheel Allowance | 7 |
| 14.9 | Paint Booth | 8 |

| | | |
|---------|--|----------|
| 14.9.1 | Paint Booth Ventilation | 8 |
| 14.9.2 | Paint Booth Lighting..... | 8 |
| 14.9.3 | Striping of Cars | 8 |
| 14.10 | Auxiliary Power Generator | 9 |
| 14.10.1 | Diesel Engine Specifications..... | 9 |
| 14.10.2 | AC Generator Specification | 9 |

Section 14

Exhibits

- 14.1/a Anderson Garage Complex
- 14.1/b Anderson Garage Bus and LRV Maintenance Area and LRV Storage
- 14.1/c Offices and Cafeteria
- 14.2 Doors on LRV Shops
- 14.3.1 Pit Detail
- 14.3.2 View of Pit showing Centre Floor Drain and Side Grates
- 14.3.5 Pits - Central View showing Connecting Walkways, Gratings, Floor-level Ventilators and Isolation Bonding Connection
- 14.4/a Truck Assembly Stand
- 14.4/b Detail of Truck Assembly Pit
- 14.4/c Elevation Detail of Truck Assembly Pit
- 14.4.1 View of Floor Work Area and Overhead Crane
- 14.5.1 LRV Washing Machine
- 14.6.1 Sanding Equipment
- 14.7/a Pantograph Platform - Sideview Detail
- 14.7/b Pantograph Platform - Overhead Detail
- 14.8 Wheel Truing Machine and Pit

Section 15

Communications

| | | |
|-------------|---|----------|
| 15.1 | General..... | 1 |
| 15.2 | Design Philosophies and Requirements | 2 |
| 15.2.1 | General..... | 2 |
| 15.2.2 | Criteria and Standards..... | 3 |
| 15.2.3 | Documentation and Plans | 4 |
| 15.3 | Design Considerations..... | 5 |
| 15.3.1 | Selection of Technology..... | 5 |
| 15.3.1.1 | Compatibility | 5 |
| 15.3.1.2 | New Proven Technologies..... | 5 |
| 15.3.2 | Reliability and Backup..... | 6 |
| 15.3.3 | Electrical Protection..... | 6 |
| 15.3.4 | Cable Provisions | 7 |
| 15.4 | Elements | 7 |
| 15.4.1 | Cable Transmission System (CTS)..... | 7 |
| 15.4.1.1 | Fibre Optics..... | 8 |
| 15.4.1.2 | Duct System | 8 |
| 15.4.2 | Public Address (PA)..... | 9 |
| 15.4.2.1 | Functions | 9 |
| 15.4.2.2 | Zones..... | 9 |
| 15.4.2.3 | Coverage | 9 |
| 15.4.2.4 | Speaker Selection and Location..... | 10 |
| 15.4.2.5 | Speaker Types..... | 11 |
| 15.4.2.6 | Amplifier | 11 |
| 15.4.2.7 | Operation..... | 11 |
| 15.4.3 | Video Monitoring - Closed Circuit TV (CCTV) | 13 |
| 15.4.3.1 | Function | 13 |
| 15.4.3.2 | General Requirements..... | 13 |
| 15.4.3.3 | Video Coverage..... | 13 |
| 15.4.3.4 | Video Transport | 14 |
| 15.4.3.5 | Camera Housings..... | 14 |

| | | |
|---------------|---|-----------|
| 15.4.3.6 | Video Management..... | 14 |
| 15.4.3.6.1 | General..... | 14 |
| 15.4.3.6.2 | Monitoring..... | 14 |
| 15.4.3.6.3 | Recording..... | 15 |
| 15.4.3.6.4 | Storage..... | 15 |
| 15.4.3.7 | Quality..... | 15 |
| 15.4.4 | Supervisory Systems (SCADA)..... | 16 |
| 15.4.4.1 | Facilities (Stations)..... | 16 |
| 15.4.4.2 | Traction Power..... | 17 |
| 15.4.4.3 | Signal System..... | 18 |
| 15.4.5 | Telephones..... | 18 |
| 15.4.5.1 | General..... | 18 |
| 15.4.5.2 | HELP (Emergency) Telephones..... | 18 |
| 15.4.5.3 | Elevator Telephones..... | 18 |
| 15.4.5.4 | Fire (Tunnel) Telephones..... | 19 |
| 15.4.5.5 | Public Telephones..... | 19 |
| 15.4.5.6 | Business Telephones..... | 19 |
| 15.5 | Existing System..... | 20 |
| 15.5.1 | Radio Communication in Tunnels..... | 20 |
| 15.5.2 | Communication Trunk..... | 20 |
| 15.5.3 | HELP Phone..... | 21 |
| 15.5.4 | Other Telephones..... | 21 |
| 15.5.5 | Public Address System..... | 22 |
| 15.5.6 | SCADA (Station Facilities)..... | 22 |
| 15.5.7 | UPS..... | 23 |
| 15.5.8 | Calgary LRT video system..... | 23 |
| 15.5.8.1 | Video Transport..... | 23 |
| 15.5.8.2 | Video Switching & Recording..... | 24 |
| 15.5.8.3 | CT Station Cameras..... | 25 |

Section 15

Exhibits

- 15.5.2 LRT Communication Trunk Cables**
- 15.5.5 Existing HELP Phone and PA Block Diagram**
- 15.5.8 Block Diagram Calgary LRT Video Transmission System**